



PERFORMANCE PARTS FOR ROYAL ENFIELD® 650 TWIN




MAY 2019




Tapered Cone Slip-ons for RE 650 Twins

- Improved horsepower & torque
- Smooth one piece styling
- Brushed Stainless Steel Finish
- Removable dB reducer
- Deep performance exhaust note
- Durable all Stainless Steel construction
- Stock-----22.4 lbs (10.1 kg)
US Compliant-----10.8 lbs (4.9 kg)
Race Only-----9 lbs (4 kg)
- J2825 Sound Compliant



**PROVEN
S&S
PERFORMANCE**

TECH TOUR



Dyno Proven Power!

Smooth One-Piece Styling & Brushed Stainless Steel Finish

Removable DB Reducer

Stainless Steel Perforated Baffle Core

S&S Engineered High Performance Catalytic Converter

Tapered End Styling with Smooth Formed End

Royal Enfield 650 Twin Slip-Ons

Slip-on Exhaust available exclusively through **ROYAL ENFIELD** dealers in North America



50

Part #	Description
550-0855	49 State Stainless Slip-On Set for Royal Enfield® 650 Twins (RE Exclusive)
550-0770	Race Only Stainless Slip-On Set for Royal Enfield® 650 Twins±

S&S Slip-ons increase power in the mid range where most riding is done. Expect to see a 13.5% increase in horsepower in the most important RPM range, power where you ride and where you can feel it!

40

30

20

10

— Stock

— S&S Slip-on & Air Cleaner

RPM X1000



DISCLAIMER: NOT LEGAL FOR SALE OR USE IN CALIFORNIA ON ANY POLLUTION CONTROLLED MOTOR VEHICLE

*Qualified Manufacturer Declared 49-State Emissions Compliant Catalyst Exhaust Component

±FOR CLOSED COURSE COMPETITION USE ONLY. NOT INTENDED FOR STREET USE. LEGAL IN CALIFORNIA ONLY FOR RACING VEHICLES WHICH MAY NEVER BE USED, OR REGISTERED OR LICENSED FOR USE, UPON A HIGHWAY.



650 Twin Air Filter Features

Air Filter-

- High-flow air cleaner, flows 12% better than stock (34.7cfm vs. stock 30.9cfm)
- Washable, no more replacing dirty air filters
- Easy to install

Cover Eliminator-

- High-flow performance. 95% increase in flow, when paired with the S&S air filter (60.4 cfm vs. stock 30.9 cfm)
- Made from durable stainless steel



Part #	Description
170-0601	High-Flow Replacement Air Filter for Royal Enfield® 650 Twins
170-0603	High-Flow Air Intake Eliminator Plate Kit for Royal Enfield® 650 Twins

DISCLAIMER: FOR CLOSED COURSE COMPETITION USE ONLY. NOT INTENDED FOR STREET USE. LEGAL IN CALIFORNIA ONLY FOR RACING VEHICLES WHICH MAY NEVER BE USED, OR REGISTERED OR LICENSED FOR USE, UPON A HIGHWAY.



Intake			
Open	Close	Duration	Lobe Center
1° BTDC	35° ABDC	216	107

Exhaust			
Open	Close	Duration	Lobe Center
32° BBDC	10° ATDC	222	101

High lift and longer duration cam builds power sooner in the RPM range and holds it for longer. The new S&S cam for the 650 Twin also features adjustable timing to allow you to dial in the power curve to match your riding style.

Part #	Description
330-0709	High-Performance Camshaft Kit with Shims for Royal Enfield® 650 Twins



These high compression pistons feature a 7cc raised dome to achieve a compression ratio of 11:1 (from 9.5:1). Higher compression is a key factor in increasing performance.

Part #	Description
920-0143	High-Compression 11:1 Piston Kit for Royal Enfield® 650 Twins

DISCLAIMER: FOR CLOSED COURSE COMPETITION USE ONLY. NOT INTENDED FOR STREET USE. LEGAL IN CALIFORNIA ONLY FOR RACING VEHICLES WHICH MAY NEVER BE USED, OR REGISTERED OR LICENSED FOR USE, UPON A HIGHWAY.



Adjusters shown 1" (25mm) forward

650 Twin Adjuster Features


Handlebar Adjusters-

- Easy to install
- Up to 1" (25mm) adjustment forward or backward
- Billet 6061
- Durable black powder coat finish














Adjusters shown 1" (25mm) backward

Part #	Description
570-0003	Handlebar Adjuster Kit for Royal Enfield® INT 650 Twins






Performance Clutch Kit provides more disks in less space, adding five additional friction disks to the clutch pack over stock. More friction plates equals more torque capacity thus unlocking the full power of your engine without the need to add stiffer pressure plate springs.

Parts List:

Part #	Description	
550-0855	49 State Stainless Slip-On Set for Royal Enfield® 650 Twins <i>(Available exclusively through RE dealers in North America)</i>	
550-0770	Race Only Stainless Slip-On Set for Royal Enfield® 650 Twins <i>(Requires racing license in North America)</i>	
550-1000	Race Headers for Royal Enfield® 650 Twins	
170-0601	High-Flow Replacement Air Filter for Royal Enfield® 650 Twins	
170-0603	High-Flow Air Intake Eliminator Plate Kit for Royal Enfield® 650 Twins	
920-0143	High-Compression 11:1 Piston Kit for Royal Enfield® 650 Twins	
920-0144	750cc Big Bore Kit for Royal Enfield® 650 Twins	
920-0145	865cc Big Bore Kit for Royal Enfield® 650 Twins	
330-0709	High-Performance Camshaft Kit with Shims for Royal Enfield® 650 Twins	
560-0260	Performance Clutch Kit for Royal Enfield® 650 Twins	
550-0893	Dynojet® Power Commander® V with Calibration for Royal Enfield® 650 Twins	
550-0959	S&S ECM Kit with Adapter Harness for Royal Enfield® 650 Twins	
570-0003	Handlebar Adjuster Kit for Royal Enfield® INT 650 Twins	

Services:

Part #	Description	
900-1038	CNC Ported Head (Core Required) Service for Royal Enfield® 650 Twins	
310-1091	Engine Rebuild Service for Royal Enfield® 650 Twins	
910-0750	Cylinder Liner Install Service (Includes Bore and Hone) for Royal Enfield® 650 Twins	



DISCLAIMER: NOT LEGAL FOR SALE OR USE IN CALIFORNIA ON ANY POLLUTION CONTROLLED MOTOR VEHICLE.
Not legal for sale or use on any EPA pollution controlled motor vehicle.

±  WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov



Breaking Hearts & Records with Cayla Rivas

Setting records on the Bonneville Salt Flats has been part of the S&S ethos for decades and the opportunity to support Royal Enfield with their brand new bike was just the kind of challenge we love. The twin cylinder 600-750cc naturally aspirated class record stood at a respectable 100 mph. At the time, no other company had built a performance version of the new RE powertrain and the team had less than 90 days to make it happen. The result? Adding Cayla Rivas and a chassis built by Harris Performance, the team left with a new record of 159.03 mph and a solid understanding how to make power with the latest engine from the storied Royal Enfield brand.

Proven Performance Developed on the Race Track

S&S® Cycle, Inc. • 14025 CTY HWY G, Viola, WI 54665 USA
608-627-1497 • sscust@sscycle.com • sscycle.com

©S&S Cycle, Inc.

